

**STORETON HALL FARM  
STORETON, WIRRAL  
DENDROCHRONOLOGICAL  
ANALYSIS OF OAK TIMBERS**

SCIENTIFIC DATING REPORT

Ian Tyers



**STORETON HALL FARM  
STORETON  
WIRRAL**

**DENDROCHRONOLOGICAL ANALYSIS OF OAK TIMBERS**

Ian Tyers

NGR: SJ 3052 8442

© English Heritage

ISSN 1749-8775

*The Research Department Report Series incorporates reports from all the specialist teams within the English Heritage Research Department: Archaeological Science; Archaeological Archives; Historic Interiors Research and Conservation; Archaeological Projects; Aerial Survey and Investigation; Archaeological Survey and Investigation; Architectural Investigation; Imaging, Graphics and Survey, and the Survey of London. It replaces the former Centre for Archaeology Reports Series, the Archaeological Investigation Report Series and the Architectural Investigation Report Series.*

*Many of these are interim reports which make available the results of specialist investigations in advance of full publication. They are not usually subject to external refereeing, and their conclusions may sometimes have to be modified in the light of information not available at the time of the investigation. Where no final project report is available, readers must consult the author before citing these reports in any publication. Opinions expressed in Research Department reports are those of the author(s) and are not necessarily those of English Heritage.*

*Requests for further hard copies, after the initial print run, can be made by emailing:*

*Res.reports@english-heritage.org.uk*

*or by writing to:*

*English Heritage, Fort Cumberland, Fort Cumberland Road, Eastney, Portsmouth PO4 9LD*

*Please note that a charge will be made to cover printing and postage.*

## **SUMMARY**

A tree-ring dating programme was commissioned on timbers from an outbuilding at Storeton Hall Farm. The results identified that timbers in both the floor and roof of one area of the building were datable by tree-ring dating techniques, with these areas using timbers felled during the late seventeenth century. This dating programme was commissioned to inform future planning decisions on this Building at Risk. This report archives the dendrochronological results.

## **CONTRIBUTORS**

Ian Tyers

## **ACKNOWLEDGEMENTS**

The sampling and analysis of timbers at Storeton Hall Farm was funded by English Heritage (EH). Practical help and valuable discussions were provided by Mark Fletcher of Matrix Archaeology, who also provided the descriptive text and the plans and elevations used here.

## **ARCHIVE LOCATION**

Merseyside Historic Environment Record  
Merseyside Archaeological Service  
National Museums Liverpool  
Dock Traffic Office  
Albert Dock  
Liverpool L3 4AX

## **DATE OF INVESTIGATION**

2008–9

## **CONTACT DETAILS**

Dendrochronological Consultancy Ltd, 65 Crimicar Drive, Sheffield S10 4EF  
Ian Tyers; [ian@dendro.co.uk](mailto:ian@dendro.co.uk)

# CONTENTS

INTRODUCTION .....	1
METHODOLOGY .....	1
RESULTS .....	3
DISCUSSION.....	4
NW Farm Building roof .....	4
NW Farm Building floor .....	5
SE Farm Building roof.....	5
Solar .....	5
REFERENCES.....	6
FIGURES .....	7
TABLES .....	11
APPENDIX I .....	13

## INTRODUCTION

This document is a technical archive report on the tree-ring analysis of oak timbers from an outbuilding at Storeton Hall Farm, Wirral. It is beyond the dendrochronological brief to describe the building in detail or to undertake the production of detailed drawings. Elements of this report may be combined with detailed descriptions, drawings, and other technical reports at some point in the future to form either a comprehensive publication or an archive deposition on the building.

Storeton Hall Farm stands *c* 5km south-west of Birkenhead, and *c* 20km north-west of Chester (NGR SJ 3052 8442) within the Unitary Authority of Wirral Metropolitan Borough Council, formerly in the Metropolitan County of Merseyside, and traditionally in the County of Cheshire (Fig 1). The outbuilding contains the former solar block and one external wall of a former hall. The building is now L-shaped, using one wall of the hall as part of a later two-storey range. The analysis of timbers in areas within this Building at Risk was commissioned to inform future planning decisions.

## METHODOLOGY

Tree-ring dating employs the patterns of tree-growth to determine the calendar dates for the period during which the sampled trees were alive. The amount of wood laid down in any one year by most trees is determined by the climate and other environmental factors. Trees over relatively wide geographical areas can exhibit similar patterns of growth, and this enables dendrochronologists to assign dates to some samples by matching the growth pattern with other ring-sequences that have already been linked together to form reference chronologies.

The building was visited in April 2008. An assessment of the dendrochronological potential of timbers in several areas of the structure had been requested by Jennie Stopford (EH IAM Manchester Office). This assessment aimed to identify whether oak timbers with sufficient numbers of rings for analysis existed in any part of the structure. This assessment concluded that the timbers in the roofs and floors all contained suitable material, whilst there were also some timbers of fairly marginal potential embedding in the former hall wall.

The sampling took place during October 2008. The selected timbers were sampled using a 15mm diameter corer attached to an electric drill. The cores were taken as closely as possible along the radius of the timbers so that the maximum number of rings could be obtained for subsequent analysis. The ring sequences in the cores were revealed by sanding.

This preparation revealed the width of each successive annual tree ring. Each prepared sample could then be accurately assessed for the number of rings it contained, and at this stage it was also possible to determine whether the sequence of ring widths within it could be reliably resolved. Dendrochronological samples need to be free of aberrant

anatomical features, such as those caused by physical damage to the tree, which may prevent or significantly reduce the chances of successful dating.

Standard dendrochronological analysis methods (see eg English Heritage 1998) were applied to each suitable sample. The complete sequence of the annual growth rings in the suitable samples was measured to an accuracy of 0.01mm using a micro-computer based travelling stage. The sequences of ring widths were then plotted onto semi-log graph paper to enable visual comparisons to be made between sequences. In addition, cross-correlation algorithms (eg Baillie and Pilcher 1973) were employed to search for positions where the ring sequences were highly correlated. Highly correlated positions were checked using the graphs and, if any of these were satisfactory, new composite sequences were constructed from the synchronised sequences. Any *t*-values reported below were derived from the original CROS algorithm (Baillie and Pilcher 1973). A *t*-value of 3.5 or over is usually indicative of a good match, although this is with the proviso that high *t*-values at the same relative or absolute position need to have been obtained from a range of independent sequences, and that these positions were supported by satisfactory visual matching.

Not every tree can be correlated by the statistical tools or the visual examination of the graphs. There are thought to be a number of reasons for this: genetic variations; site-specific issues (for example, a tree growing in a stream bed will be less responsive to rainfall); or some traumatic experience in the tree's lifetime, such as injury by pollarding, defoliation events by caterpillars, or similar. These could each produce a sequence dominated by a non-climatic signal. Experimental work with modern trees shows that 5–20% of all oak trees cannot be reliably cross-matched, even when enough rings are obtained.

Converting the date obtained for a tree-ring sequence into a date useful to the interpretation of the building requires a record of the nature of the outermost rings of the sample. If bark or bark-edge survives, a felling date precise to the year or season can be obtained. If no sapwood survives, the date obtained from the sample gives a *terminus post quem* for its use. If some sapwood survives, an estimate for the number of missing rings can be applied to the end-date of the heartwood. This estimate is quite broad and varies by region. This report uses a minimum of 10 rings and a maximum of 46 rings as a sapwood estimate (see eg English Heritage 1998, 10–11).

Where bark-edge or bark survives, the season of felling can be determined by examining the completeness or otherwise of the terminal ring lying directly under the bark. Complete material can be divided into three major categories:

- 'early spring', where only the initial cells of the new growth have begun – this is equivalent to a period in March/April, when the oaks begin leaf-bud formation;

- 'later spring/summer' where the early wood is evidently complete but the late wood is evidently incomplete, which is equivalent to May-through-September of a normal year, and
- 'winter' where the latewood is evidently complete and this is roughly equivalent to September-to-March (of the following year) since the tree is dormant throughout this period and there is no additional growth put on the trunk.

These categories can overlap as, for example, not all oaks simultaneously initiate leaf-bud formation. It should also be noted that slow growing or compressed material cannot always be safely categorised.

Timber technology studies demonstrate that many of the tool marks recorded on ancient timbers can only have been done on green timber. There is little evidence for long-term storage of timber or of widespread use of seasoned, rather than green, timber in the medieval period (see eg English Heritage 1998, 11–12).

Reused timbers can only provide tree-ring dates for the original usage date, not their reuse. Identifying reused timbers requires careful timber recording which notes the presence of features which are not functional in the structure. It is always possible that some timbers exhibit no evidence of earlier usage, and are thus 'hidden reused' timbers. The dendrochronological impact of this problem is particularly acute where only single timbers have been dated from a structure.

The analysis may highlight potential same-tree identifications if two or more tree-ring sequences are obtained that are exceptionally highly correlated. Such pairs, or sometimes more, are then used as a same-tree group and each can be given the interpreted date of the most complete of the samples. They are most useful where several timbers date but only one has any sapwood or where same-tree identifications yield linkages between different areas of a building.

## RESULTS

In October 2008 17 timbers of four separate areas of the building were cored; these cores were labelled 1–17 inclusive. Four timbers were sampled in the south-east farm building roof, four from the north-west farm building roof, five from the north-west farm building floor, and four from the solar wing roof (Figs 2–4). Each sample was assessed for the wood type, the number of rings it contained, and whether the sequence of ring widths could be reliably resolved. This assessment confirmed that all the sampled timbers were oak (*Quercus* spp.) and that 13 were suitable for dendrochronological analysis. The four exceptions were samples 5, 9, 14, and 15, which all had either too few rings for analysis or had fragmented badly during sampling. There was some survival of sapwood in all of the targeted areas. The details of these samples are provided in Table 1.

The samples were prepared for analysis, measured, and the resultant ring series were compared with each other. Six of the 13 suitable samples were found to cross-match each other well (Table 2). These were then combined into a composite data set of 111 years' length, which was then compared with medieval and later tree-ring data from throughout the British Isles. The composite sequence was found to cross-match strongly against data from sites mostly on the western side of England, with consistent matching into northern England, Wales, and Northern Ireland (Table 3). This cross-matching provided calendar dates for the sequence of AD 1572–1682. A summary of the results for the component samples of this chronology are provided in Table 1 and Figure 5.

The remaining individual series were not found to form any consistent groups. These individual series were compared with English, European, and other reference data, as well as the other undated sequences. These series have failed to provide any consistent dating evidence.

The measurement data for all the measured samples are listed in Appendix 1.

## DISCUSSION

The dated samples are derived from the floor and roof of a single part of the building, which are probably of the same date. These parts are discussed separately below.

### NW Farm Building roof

This roof comprises two large trusses (T3 and T4, Figs 3 and 4a). The four samples from this area comprised two of the four principal rafters, a tie beam, and a purlin. All were suitable for analysis, but only two were found to cross-match the material from the floor below. This material comprised fairly slow-growing medium-aged oaks.

The tree-ring analysis dates the rings present in the cores. The correct interpretation of those dates relies upon the characteristics of the final rings in them. Bark-edge survived on neither of the datable timbers, but significant amounts of sapwood were recovered from one, and the heartwood/sapwood boundary was present on the other. Making allowances for minimum and maximum likely amounts of missing sapwood provides individual felling date ranges for both of the datable timbers. Figure 5 and Table 1 includes the interpreted felling date ranges for both of the datable samples.

The calculation of the common felling period for both dated timbers from this roof suggests a construction date between AD 1682 and *c* AD 1701. The mathematical combination of estimated sapwood distributions is statistically complex, and to achieve a tighter interpretation would require reliable sapwood data for the area, period, and the specific character of these oaks. Such data are not presently available. Until that point the use of robust combinatorial methods, or alternative statistical approaches might sacrifice a broad and indicative date for a narrower one of potentially spurious precision. It is clear,



however, that this roof utilises timbers felled in the last two decades of the seventeenth century. There is no suggestion any of this material is either reused or secondary.

### **NW Farm Building floor**

This floor comprises five large girts forming the ground-floor ceiling and floor above (Figs 2 and 4a). All five were sampled. Four were suitable for analysis and all four of these sequences were cross-matched and dated. There is no significant difference between this material and that found in the roof of the same area, with this material also comprising reasonably slow-growing medium-aged oaks.

Bark-edge survived on none of these timbers, but significant amounts of sapwood were recovered from two, and the heartwood/sapwood boundary was present on the remaining two. Figure 5 and Table 1 includes the interpreted felling date ranges for each of these datable samples.

The calculation of the common felling period for each dated timber from this floor suggests a construction date between AD 1682 and *c* AD 1699. This suggests the floor and roof of the NW Farm Building are contemporaneous.

### **SE Farm Building roof**

This roof is of two trusses (labelled T1 and T2, Fig 3) of similar truss form to those in the roof of the NW Farm Building. Four samples were obtained from two principal rafters and two tie beams. Three were suitable for analysis, but none cross-matched each other, or other material from Storeton. This may suggest these timbers were of a different date, or obtained from a different source.

### **Solar**

The solar contained three trusses, labelled T5–T7 (Figs 3 and 4b). One of these (T5) was in an unsafe condition and out of bounds for sampling purposes. The grain of the timbers in this area was more distorted than those in the other two areas of roof. Sampling the best of this material yielded four cores, two of which contained insufficient rings for analysis. The remaining two each yielded short sequences with some sapwood. However, there is no identifiable cross-matching between these series, or between them and the other material from Storeton. This may suggest these timbers were of a different date, or obtained from a different source.


## REFERENCES

- Arnold, A J, Howard, R E, and Litton, C D, 2004 *Tree-ring analysis of timbers from 17 and 19 St Mary's Chare, Hexham, Northumberland*, Centre for Archaeol Rep, **51/2004**
- Baillie, M G L, 1977 The Belfast oak chronology to AD1001, *Tree Ring Bulletin*, **37**, 1–12
- Baillie, M G L, and Pilcher, J R, 1973 A simple crossdating program for tree-ring research, *Tree Ring Bulletin*, **33**, 7–14
- English Heritage, 1998 *Dendrochronology: guidelines on producing and interpreting dendrochronological dates*, London
- Hillam, J, and Groves, C, 1992 Tree-ring dates from Sheffield University: List 42, *Vernacular Architect*, **23**, 44–7
- Howard, R E, Laxton, R R, and Litton, C D, 2003 *Tree-ring analysis of oak timbers from Combermere Abbey, Whitchurch, Cheshire*, Centre for Archaeol Rep, **83/2003**
- Tyers, I, 1999 *Tree-ring analysis of the bell tower of the Church of St Mary, Pembridge, Herefordshire*, Anc Mon Lab Rep, **1/99**
- Tyers, I, 2006 *Tree-ring analysis of timbers from a building: Moseley Farm Barn, Cookridge, West Yorkshire*, ARCUS Rep, **853u**
- Tyers, I, 2008 *Tree-ring analysis of timbers from a building: 'The Barns', Turton, Blackburn with Darwen, Lancashire*, Dendro Co Rep, **222**
- Tyers, I, and Price, S, 2007 Tree-ring dates from Wribbenhall, Worcestershire: List 188, *Vernacular Architect*, **38**, 117–9


## FIGURES



*Figure 1. Location of Storeton Hall Farm (circled). © Crown Copyright. All rights reserved. English Heritage 100019088. 2010*



*Figure 2. Ground Floor Plan of Storeton Hall Farm showing the location and naming of the areas discussed in this report, and the approximate location of the samples 4–8. Based on a plan supplied by Mark Fletcher, Matrix Archaeology*



*Figure 3. First Floor Plan of Storeton Hall Farm showing the location and naming of the areas discussed in this report, the truss numbering scheme followed (T1-T7), and the approximate location of samples 1–3 and 9–17. Based on a plan supplied by Mark Fletcher, Matrix Archaeology*




Figure 4. a) Truss T4, floor and section from NW Farm Building, and b) Truss T5, floor and section from Solar Wing, both of Storeton Hall Farm outbuilding. Based on a figure supplied by Mark Fletcher, Matrix Archaeology




Figure 5. Bar diagram showing the absolute dating positions of the 6 dated tree-ring sequences for samples from Storeton Hall Farm. The interpreted felling dates are also shown for each sample.

KEY White bars are oak heartwood, hatched bars are sapwood, the narrow bar represents unmeasured heartwood.

## TABLES

*Table 1. Details of the 17 samples from timbers from Storeton Hall Farm.*

Sample	Location	Rings	Sap	Date of measured sequence	Interpreted result
1	SE T1 north-east principal rafter	62	17+B <sub>s</sub>	not dated	-
2	SE T1 tie beam	67	26+B <sub>s</sub>	not dated	-
3	SE T2 tie beam	63	26+B <sub>s</sub>	not dated	-
4	NW floor beam	88	26	AD 1595–AD 1682	AD 1682–1702
5	NW floor beam	-	-	not measured	-
6	NW floor beam	105	15	AD 1578–AD 1682	AD 1682–1713
7	NW floor beam	83	H/S	AD 1577–AD 1659	AD 1669–1705
8	NW floor beam	58	H/S	AD 1596–AD 1653	AD 1663–99
9	SE T2 south-west principal rafter	-	-	not measured	-
10	NW T3 tie beam	25+50	H/S	AD 1610–AD 1659	AD 1669–1705
11	NW T3 south-west principal rafter	49	-	not dated	-
12	NW T4 south-west principal rafter	111	27	AD 1572–AD 1682	AD 1682–1701
13	NW T3–T4 south-west lower purlin	20+67	-	not dated	-
14	Solar T6 tie beam	-	-	not measured	-
15	Solar T6 north-west principal rafter	-	-	not measured	-
16	Solar T7 tie beam	59	17	not dated	-
17	Solar T7 north-west principal rafter	51	14	not dated	-

KEY For locations see Figures 2 and 3. SE; south-east Farm Building, trusses T1 and T2 from south-east. NW; north-west Farm Building, trusses T3 and T4 from south-east. Solar; solar wing, trusses T5–T7 from north-east, H/S is heartwood/sapwood edge, B<sub>s</sub> bark season early spring/summer, *italics* gives the estimated numbers of unmeasured rings.

**Table 2. The t-values (Baillie and Pilcher 1973) between 6 sampled timbers from Storeton Hall Farm. - t-value less than 3.0.**

	6	7	8	10	12
4	-	3.49	3.15	-	4.48
6		5.56	5.42	6.71	3.65
7			4.23	5.02	4.60
8				4.09	3.14
10					-

**Table 3. Showing example t-values (Baillie and Pilcher 1973) between the composite sequence constructed from Storeton Hall Farm and oak reference data.**

Reference chronology	Storeton AD 1572–1682
Anglesey, Hafoty Llansadwen (Hillam and Groves 1992)	5.52
Cheshire, Combermere Abbey (Howard <i>et al</i> /2003)	5.10
Herefordshire, Pembridge bell tower (Tyers 1999)	7.41
Lancashire, Turton Barn (Tyers 2008)	5.00
Northern Ireland regional sequence (Baillie 1977)	5.84
Northumberland, St Marys Chare Hexham (Arnold <i>et al</i> /2004)	5.56
Worcestershire, Wribbenhall (Tyers and Price 2007)	7.49
Yorkshire, Cookridge Moseley Wood Farm barn (Tyers 2006)	6.04



## APPENDIX I

sth1

316	431	315	218	318	384	319	387	349	311
288	296	325	289	342	392	250	281	264	101
50	59	83	125	295	240	133	197	256	77
279	348	299	286	87	70	50	48	46	47
55	75	100	73	97	169	92	159	106	126
334	201	261	276	139	150	212	231	146	212
294	398								

sth2

340	257	380	437	595	642	493	480	357	444
458	462	659	390	478	338	394	399	404	460
448	393	299	292	300	306	332	332	334	143
115	107	84	145	86	80	132	212	214	170
147	194	151	84	97	86	91	96	83	83
87	94	124	143	214	192	160	205	285	166
113	54	93	68	119	182	175			

sth3

614	565	526	644	516	378	490	605	820	657
530	473	623	441	352	454	331	496	333	245
349	282	222	241	341	166	203	89	158	131
212	234	159	217	153	173	114	93	154	174
218	175	197	181	168	155	135	155	149	118
171	144	183	139	86	84	95	128	141	159
177	179	143							

sth4

353	221	232	226	122	123	253	343	473	483
431	482	492	414	345	355	242	254	287	211
172	228	231	301	192	217	166	163	77	78
132	217	268	182	172	155	102	88	62	42
87	70	132	220	111	125	121	61	113	62
68	136	123	144	137	142	121	70	57	70
97	120	38	30	22	34	25	36	40	48
35	26	28	36	55	66	72	60	57	51
62	139	129	140	149	137	128	85		

sth6

151	237	250	277	263	238	278	330	222	269
169	238	218	260	345	402	391	344	258	269
356	297	210	225	152	188	188	80	91	121
166	174	160	107	118	62	96	147	113	121
139	108	113	77	92	82	61	68	55	90
99	128	116	86	122	120	121	67	60	104
167	96	98	104	73	72	64	62	57	71
83	92	72	69	56	61	69	95	123	63
69	64	47	60	52	59	64	90	94	100
75	125	108	101	125	91	72	62	116	119
105	139	91	93	103					

sth7  
415 573 471 497 358 292 293 285 269 286  
228 219 253 264 291 265 313 360 416 343  
378 391 381 239 273 228 254 255 129 170  
140 149 120 191 223 170 177 223 180 189  
105 186 154 137 79 89 63 75 55 79  
87 88 140 101 77 121 122 113 100 64  
127 193 99 136 120 100 98 79 66 102  
87 100 120 106 82 77 88 130 154 174  
131 117 103

sth8  
214 191 172 193 177 240 172 202 183 154  
167 165 217 226 226 132 107 79 94 104  
90 90 124 100 137 78 111 55 43 37  
61 73 81 86 78 61 66 79 68 72  
91 170 196 116 145 150 106 80 63 85  
109 103 144 140 104 92 74 91

sth10  
549 563 439 392 360 406 274 201 256 172  
184 136 168 131 123 121 93 116 105 167  
142 107 143 120 81 67 62 83 119 70  
105 86 96 76 90 93 88 106 123 117  
111 116 87 67 73 113 143 104 95 85

sth11  
387 495 471 313 307 237 222 219 261 226  
275 183 223 366 362 390 369 201 307 257  
152 151 100 127 158 166 151 139 84 127  
135 111 131 154 82 77 70 77 44 58  
43 43 79 85 80 76 55 77 87

sth12  
361 290 319 280 169 126 143 197 180 139  
67 122 93 139 117 73 64 78 78 92  
77 107 128 151 109 93 52 59 60 44  
34 39 52 52 65 81 58 46 82 77  
99 84 61 71 48 61 96 84 113 97  
97 40 30 27 33 58 59 77 77 74  
93 94 65 81 36 70 110 86 105 91  
51 64 56 52 60 78 77 70 82 66  
66 110 105 168 154 118 115 66 65 51  
60 103 80 114 66 57 39 75 93 104  
108 67 38 37 48 42 49 70 46 46  
67

sth13  
172 99 88 102 205 139 159 90 84 108  
65 62 56 59 62 29 47 65 52 57  
56 41 69 114 71 81 111 110 62 72  
106 132 101 103 90 133 82 74 53 80  
116 92 103 87 105 160 81 45 66 70  
101 133 82 100 72 56 42 43 36 37  
54 49 44 38 36 38 36

sth16

197	166	167	322	277	296	380	398	407	464
445	539	476	465	484	318	264	323	373	302
491	429	417	392	389	262	280	339	372	108
88	70	73	86	120	162	183	203	180	185
152	200	192	137	103	125	170	218	216	221
132	76	71	117	172	130	199	206	220	

sth17

325	366	430	517	515	600	596	558	488	450
355	402	419	505	397	444	434	414	337	429
435	331	529	436	531	468	523	569	454	422
447	394	155	180	222	236	219	207	237	223
200	197	150	120	175	180	266	370	277	195
178									



## **ENGLISH HERITAGE RESEARCH DEPARTMENT**

*English Heritage undertakes and commissions research into the historic environment, and the issues that affect its condition and survival, in order to provide the understanding necessary for informed policy and decision making, for sustainable management, and to promote the widest access, appreciation and enjoyment of our heritage.*

*The Research Department provides English Heritage with this capacity in the fields of buildings history, archaeology, and landscape history. It brings together seven teams with complementary investigative and analytical skills to provide integrated research expertise across the range of the historic environment. These are:*

- \* Aerial Survey and Investigation*
- \* Archaeological Projects (excavation)*
- \* Archaeological Science*
- \* Archaeological Survey and Investigation (landscape analysis)*
- \* Architectural Investigation*
- \* Imaging, Graphics and Survey (including measured and metric survey, and photography)*
- \* Survey of London*

*The Research Department undertakes a wide range of investigative and analytical projects, and provides quality assurance and management support for externally-commissioned research. We aim for innovative work of the highest quality which will set agendas and standards for the historic environment sector. In support of this, and to build capacity and promote best practice in the sector, we also publish guidance and provide advice and training. We support outreach and education activities and build these in to our projects and programmes wherever possible.*

*We make the results of our work available through the Research Department Report Series, and through journal publications and monographs. Our publication Research News, which appears three times a year, aims to keep our partners within and outside English Heritage up-to-date with our projects and activities. A full list of Research Department Reports, with abstracts and information on how to obtain copies, may be found on [www.english-heritage.org.uk/researchreports](http://www.english-heritage.org.uk/researchreports)*

*For further information visit [www.english-heritage.org.uk](http://www.english-heritage.org.uk)*

